


sercos
the automation bus



Machine communication

Integrated networking with Sercos and OPC UA

Machine communication: Integrated networking with Sercos and OPC UA




Figure 1

The OPC Foundation and Sercos International are implementing their collaboration with the common aim to improve machine integration and to reduce complexity of information exchange between machine periphery and higher-level IT systems.

The chosen approach is a standardized OPC UA Sercos information model that brings together the well-defined device profiles of Sercos with the data exchange standard of OPC UA.

The OPC UA companion specification for Sercos describes the mapping of Sercos to OPC UA so that the functionality of Sercos devices is made available and accessible via OPC UA in a vendor-independent way. The access to process machine related information facilitates the efficient and flexible use of the manufacturing resources which is also a key target of Industry 4.0. Application scenarios cover a broad range from device parametrization and network configuration up to energy management and preventive maintenance.

Sercos is one of the world's leading digital interfaces for communication between controls, drives, I/Os and other decentralized peripheral devices, such as encoders, safety devices and vision systems. Since its first release in 1990, Sercos has been developed from a digital drive interface into a universal automation bus.

The third generation of Sercos is based on Ethernet and is particularly suitable for high-speed and high-precision

machining applications. Because of its universal approach that includes motion, safety and I/O capabilities, it can be used for all kinds of automation applications. A special feature is the so-called Unified Communication (UC) channel which allows the transmission of additional Ethernet protocols, such as TCP/IP or EtherNet/IP over a common network infrastructure (see Figure 1). The UC channel therefore can also be used to communicate using the common standard OPC UA.

Technical content

The OPC UA mapping for Sercos is based on an extension of an OPC UA server. Therefore, it can be used for different implementation approaches (see Figure 2).

1. The OPC UA server functionality can be implemented in a Sercos master device (e.g. CNC or PLC). This device is acting as a gateway to map the OPC UA accesses to Sercos services and vice versa. Access to the Sercos parameters in a Sercos slave device is provided by cyclic and acyclic services of the Sercos real-time channel, or by means of the S/IP protocol, which provides IP-based access to all Sercos parameters even when Sercos real-time communication is not enabled (Option 2a).

2. The OPC UA server functionality can also be implemented in a Sercos slave device. In this case, the OPC UA protocol is transmitted in the Unified Communication (UC) channel of Sercos which is available in parallel to the Sercos real-time communication




Figure 2

(Option 2b) and even in the case that the Sercos real-time communication is not enabled (Option 2c).

The Sercos OPC UA companion specification describes the mapping of data types between OPC UA and Sercos, as well as the transformation of the Sercos data model (consisting of profiles, classes, function groups and the supported parameters) into the OPC UA information model. By this, standardized access to the information of a Sercos field device is provided.

Typical use-cases include:

- Visualization: Providing information for human-machine interfaces or operator panels.
- Monitoring: Providing information for energy, condition and process monitoring, network status.
- Diagnosis: Providing context-sensitive diagnosis information for operators and service personnel.
- Engineering: Device parameter browsing, device parametrization, controller optimization, network configuration.

Advantages

The Sercos OPC UA mapping allows access to the device information model, based on the defined Sercos profiles. Sercos device suppliers & users find ready-to-use

methods, tools and applications to make machine and process data available to higher-level systems. On the other hand, manufacturers of IT systems (including MES/ERP and SCADA software) are able to directly access the available information without the need for vendor-specific interpretations or conversions.

The best of both worlds combination shows a migration to Industry 4.0, allowing connection with each and every existing Sercos-based device, with very low efforts!

Supporting companies

The following companies have actively contributed to the OPC UA companion specification on behalf of the members of Sercos International and all users of the Sercos technology:

- Bosch Rexroth
- ESR Pollmeier
- FISW Steuerungstechnik GmbH
- Schneider Electric
- Softing

More Information

- The Sercos OPC UA companion specification version 1.0 was released on November 2nd, 2015.
- The specification can be downloaded from the Sercos website: www.sercos.org

sercos

the automation bus

About Sercos International

Sercos International is an association of users and manufacturers that is in charge of technical development, standardization, certification and marketing for the Sercos automation bus. Conformance tests guarantee that Sercos implementations are standard-compliant ensuring that devices from different manufacturers can be combined. Based in Germany, the organization presently has more than 90 member companies located around the world and has national liaison offices in North America and Asia.

Sercos International e.V.

Kueblerstr. 1
73079 Suessen, Germany
☎ : +49 7162 946865
✉ : +49 7162 946866
E-mail: info@sercos.de
www.sercos.org

Sercos North America

405 Loblolly Bay Drive
Santa Rosa Beach, FL 32459, U.S.A.
Toll free:
1-800-5-Sercos (1-800-573-7267)
☎ : +1 850 6601293
✉ : +1 850 6601293
E-mail: info@sercos.com
www.sercos.com

Sercos Asia

China:
Building No.1 #314,
No.1 Jiao Chang Kou Street,
De Sheng Men Wai,
Xicheng District,
Beijing, 100120, China
☎ : +86 10 82285783
✉ : +86 10 62017873
E-mail: sercos@cameta.org.cn
www.sercos.org

Japan:

Shin-Yokohama 3-17-15 (8F)
Kohoku-ku
Yokohama, 222-0033, Japan
☎ : +81 45 620 2013
E-mail: info-japan@sercos.com
www.sercos.jp

Visit us at www.sercos.org